ELSEVIER

Journal of Materials Processing Technology 128 (2002) 330

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 128

Adewale, A.O., 196
António, C.A.C., 266
Azhari, C.H., 33
Bajpai, R.P., 226

Barber, G.C., 73
Bayoumi, L.S., 130
Bourithis, E., 169

Cabezas, C., 250
Castro, C.F., 266
Çelik, E., 205
Celik, H., 280
Chang, C.H., 1
Chen, M., 210
Chen, Y.-J., 313
Choi, H.Z., 67

Dahlman, P., 318
Darvizeh, A., 80
Darvizeh, M., 80
Davies, R.W., 38
de Magalhães Correia, J.P., 178
Dimri, A.K., 226

Eyercioğlu, Ö., 113

Fatt, L.K., 33
Fattahi, M., 88
Ferron, G., 178
Filgueira, M., 191
Fu, Y., 106

Gharababaei, H., 80
Goyos, I., 250
Gudimetla, P., 123
Gunnberg, F., 318

Han, H.N., 216
Han, Y.-S., 313
Hao, W., 162

Izadi, J., 88

Jacobson, M., 318
Jeong, H.D., 67
Jianguo, Y., 274, 324
Jin, Y.-S., 216
Juang, S.C., 1
Jung, D.W., 292

Karimi Taheri, A., 88
Kim, H.J., 216
Kim, S., 232
Kim, Y., 232
Kok, M., 280
Kumar, P., 155
Kwong, C.K., 136

Lau, F., 19
Lee, J.K., 216
Lee, S.W., 67
Lee, W.B., 19
Lee, Y.C., 67
Li, J.-B., 313
Li, P., 7
Li, W., 7
Loredo, A., 106
Loureiro, A.J.R., 240

Maillard, A., 256
Makoto, M., 274, 324
Martin, B., 106
Mattiasson, K., 142

Nariman-zadeh, N., 80
Nejati, M., 88

Opitz, O., 250

Papadimitriou, G., 169
Parada, A., 250
Paul, A.K., 226
Paulo Davim, J., 100
Paulsen, F., 48
Pinatti, D.G., 191
Pitman, S.G., 38

Rachik, M., 256
Ragab, A.R., 302
Rama, S.C., 73
Roelandt, J.M., 256
Rong, Y., 7
Runzhang, Y., 162

Sahari, J., 33
Sahin, Y., 280
Saleh, Ch., 302
Santos, A.D., 266
Serajzadeh, S., 88
Shan, H.S., 155
Shoumei, X., 19
Sikdar, S.K., 210
Singh, S., 155
Smith, M.T., 38
Sousa, L.C., 266
Svensson, M., 142

Tam, S.M., 136
Tarng, Y.S., 1
Tazedakis, A., 169
Tolga Bozdana, A., 113

Vannes, A.B., 106
Vetrano, J.S., 38

Wang, G., 25
Wang, J., 123
Wang, T., 25
Wang, X., 73
Wang, Z., 73
Wei, Q.-M., 313
Weimin, W., 162
Welo, T., 48
Wong, W., 123

Zaafarani, N.N., 302
Zhao, G., 25
Zhao, H., 73
Zhao, X., 25
Zhengyi, F., 162
Zulkifli, R., 33
Zumelzu, E., 250

Elsevier Science B.V.
PII: S0924-0136(02)00834-8

ELSEVIER

Journal of Materials Processing Technology 128 (2002) 330

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 128

Adewale, A.O., 196
António, C.A.C., 266
Azhari, C.H., 33
Bajpai, R.P., 226

Barber, G.C., 73
Bayoumi, L.S., 130
Bourithis, E., 169

Cabezas, C., 250
Castro, C.F., 266
Çelik, E., 205
Celik, H., 280
Chang, C.H., 1
Chen, M., 210
Chen, Y.-J., 313
Choi, H.Z., 67

Dahlman, P., 318
Darvizeh, A., 80
Darvizeh, M., 80
Davies, R.W., 38
de Magalhães Correia, J.P., 178
Dimri, A.K., 226

Eyercioğlu, Ö., 113

Fatt, L.K., 33
Fattahi, M., 88
Ferron, G., 178
Filgueira, M., 191
Fu, Y., 106

Gharababaei, H., 80
Goyos, I., 250
Gudimetla, P., 123
Gunnberg, F., 318

Han, H.N., 216
Han, Y.-S., 313
Hao, W., 162

Izadi, J., 88

Jacobson, M., 318
Jeong, H.D., 67
Jianguo, Y., 274, 324
Jin, Y.-S., 216
Juang, S.C., 1
Jung, D.W., 292

Karimi Taheri, A., 88
Kim, H.J., 216
Kim, S., 232
Kim, Y., 232
Kok, M., 280
Kumar, P., 155
Kwong, C.K., 136

Lau, F., 19
Lee, J.K., 216
Lee, S.W., 67
Lee, W.B., 19
Lee, Y.C., 67
Li, J.-B., 313
Li, P., 7
Li, W., 7
Loredo, A., 106
Loureiro, A.J.R., 240

Maillard, A., 256
Makoto, M., 274, 324
Martin, B., 106
Mattiasson, K., 142

Nariman-zadeh, N., 80
Nejati, M., 88

Opitz, O., 250

Papadimitriou, G., 169
Parada, A., 250
Paul, A.K., 226
Paulo Davim, J., 100
Paulsen, F., 48
Pinatti, D.G., 191
Pitman, S.G., 38

Rachik, M., 256
Ragab, A.R., 302
Rama, S.C., 73
Roelandt, J.M., 256
Rong, Y., 7
Runzhang, Y., 162

Sahari, J., 33
Sahin, Y., 280
Saleh, Ch., 302
Santos, A.D., 266
Serajzadeh, S., 88
Shan, H.S., 155
Shoumei, X., 19
Sikdar, S.K., 210
Singh, S., 155
Smith, M.T., 38
Sousa, L.C., 266
Svensson, M., 142

Tam, S.M., 136
Tarng, Y.S., 1
Tazedakis, A., 169
Tolga Bozdana, A., 113

Vannes, A.B., 106
Vetrano, J.S., 38

Wang, G., 25
Wang, J., 123
Wang, T., 25
Wang, X., 73
Wang, Z., 73
Wei, Q.-M., 313
Weimin, W., 162
Welo, T., 48
Wong, W., 123

Zaafarani, N.N., 302
Zhao, G., 25
Zhao, H., 73
Zhao, X., 25
Zhengyi, F., 162
Zulkifli, R., 33
Zumelzu, E., 250

Elsevier Science B.V.
PII: S0924-0136(02)00834-8

ELSEVIER

Journal of Materials Processing Technology 128 (2002) 331–335

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 128

Abrasion
Wear behavior of materials in magnetically assisted abrasive flow machining, 155
Abrasive waterjet cutting
Kerf formation analysis in the abrasive waterjet cutting of industrial ceramics, 123
Agile fixture design
Case-based agile fixture design, 7
ALE
Some phenomenological and computational aspects of sheet metal blanking simulation, 256
Al_2O_3
Tool wear and surface roughness of Al_2O_3 particle-reinforced aluminium alloy composites, 280
α-Al_2O_3
A study on the factors involved in collapse of macroporous α-Al_2O_3 structure, 313
Al_2O_3–TiO_2 powders
Preparation and characterization of Al_2O_3–TiO_2 powders by chemical synthesis for plasma spray coatings, 205
Aluminum
Mechanical properties of aluminum tailor welded blanks at superplastic temperatures, 38
Anisotropy
Wrinkling predictions in the deep-drawing process of anisotropic metal sheets, 178
Anomalous strength
In situ diamond wires. Part I. The Cu–15 vol.% Nb high strength cable, 191
Atomic emission spectrometry
Characterization and design considerations of a radio frequency glow discharge spectral source for solid material analysis, 226
Automotive
Mechanical properties of aluminum tailor welded blanks at superplastic temperatures, 38

Bainite steel
Cutting speed influence on surface integrity of hard turned bainite steel, 318
Bending
A design method for prediction of dimensions of rectangular hollow sections formed in stretch bending, 48
Bifurcation
Wrinkling predictions in the deep-drawing process of anisotropic metal sheets, 178
Blanking
Some phenomenological and computational aspects of sheet metal blanking simulation, 256
Buckling
A design method for prediction of dimensions of rectangular hollow sections formed in stretch bending, 48

Case-based reasoning
Case-based agile fixture design, 7
Case-based reasoning approach to concurrent design of low power transformers, 136
Cast iron
Wear and corrosion behaviour of high-chromium (14–30% Cr) cast iron alloys, 250
Cast iron bond diamond wheel
The effect of high pressure air jet on form accuracy in slot grinding, 67
Chemical synthesis
Preparation and characterization of Al_2O_3–TiO_2 powders by chemical synthesis for plasma spray coatings, 205
Clogging
The effect of high pressure air jet on form accuracy in slot grinding, 67
Coated tools
Tool wear and surface roughness of Al_2O_3 particle-reinforced aluminium alloy composites, 280
Cold rolling
Analysis of flow and stresses in flattening a circular tube by rolling, 130
Combustion synthesis
Chemistry reaction processes during combustion synthesis of B_2O_3–TiO_2–Mg system, 162
Combustion wave propagating model
Chemistry reaction processes during combustion synthesis of B_2O_3–TiO_2–Mg system, 162
Component-wise splitting method
An efficient thermal analysis system for the die-casting process, 19
Composites
Tool wear and surface roughness of Al_2O_3 particle-reinforced aluminium alloy composites, 280
Concurrent design
Case-based reasoning approach to concurrent design of low power transformers, 136
Conductive
Characterization and design considerations of a radio frequency glow discharge spectral source for solid material analysis, 226
Corrosion resistance
Wear and corrosion behaviour of high-chromium (14–30% Cr) cast iron alloys, 250
Cu–Nb composites
In situ diamond wires. Part I. The Cu–15 vol.% Nb high strength cable, 191
Cutting force
Relationship between tool flank wear area and component forces in single point turning, 210
Cylindrical coordinates
Newtonian flow in an inter-meshing counter-rotating twin screw extruder, 196

Deformation
A model for deformation, temperature and phase transformation behavior of steels on run-out table in hot strip mill, 216

Elsevier Science B.V.
PII: S0924-0136(02)00835-X

Diametral reduction
An experimental study on paraxial spinning of one tube end, 324
Diamond coated tools
Diamond tool performance in machining metal–matrix composites, 100
Diamond wires
In situ diamond wires. Part I. The Cu–15 vol.% Nb high strength cable, 191
Die-casting process
An efficient thermal analysis system for the die-casting process, 19
Drawbead process
Static-explicit finite element method and its application to draw-bead process with spring-back, 292
Ductile fracture
Some phenomenological and computational aspects of sheet metal blanking simulation, 256

Elastic springback
A design method for prediction of dimensions of rectangular hollow sections formed in stretch bending, 48
Erosion mechanisms
Kerf formation analysis in the abrasive waterjet cutting of industrial ceramics, 123
Expert systems
Development of an expert system for the determination of injection moulding parameters of thermoplastic materials: EX-PIMM, 113
Explicit dynamic
Some phenomenological and computational aspects of sheet metal blanking simulation, 256
Explicit FE-method
Three-dimensional simulation of hemming with the explicit FE-method, 142
Explosive cutting process
Modelling of explosive cutting process of plates using GMDH-type neural network and singular value decomposition, 80

Finite element method
Inverse methods in design of industrial forging processes, 266
Static-explicit finite element method and its application to draw-bead process with spring-back, 292
Finite element simulations
Wrinkling predictions in the deep-drawing process of anisotropic metal sheets, 178
Flank wear surface area
Relationship between tool flank wear area and component forces in single point turning, 210
Forging
Inverse methods in design of industrial forging processes, 266
Form accuracy
The effect of high pressure air jet on form accuracy in slot grinding, 67
Formability
A design method for prediction of dimensions of rectangular hollow sections formed in stretch bending, 48
Forming limit
Analytical study for tube hydroforming, 232
Forming limit diagram
Forming limit diagrams for kinematically hardened voided sheet metals, 302
Forming process simulation
Some phenomenological and computational aspects of sheet metal blanking simulation, 256
Fracture
Analytical study for tube hydroforming, 232

Glow discharge
Characterization and design considerations of a radio frequency glow discharge spectral source for solid material analysis, 226
Grey relational analysis
The use of grey-based Taguchi methods to determine submerged arc welding process parameters in hardfacing, 1
Group method of data handling
Modelling of explosive cutting process of plates using GMDH-type neural network and singular value decomposition, 80

Hard turning
Cutting speed influence on surface integrity of hard turned bainite steel, 318
Hardfacing
The use of grey-based Taguchi methods to determine submerged arc welding process parameters in hardfacing, 1
Heat input
Effect of heat input on plastic deformation of undermatched welds, 240
Heat transfer
An investigation on strain inhomogeneity in hot strip rolling process, 88
Heat treatment
In situ diamond wires. Part I. The Cu–15 vol.% Nb high strength cable, 191
Hemming
Three-dimensional simulation of hemming with the explicit FE-method, 142
High pressure air jet
The effect of high pressure air jet on form accuracy in slot grinding, 67
Hot rolling
Experimental study of deep drawability of hot rolled IF steel, 73
An investigation on strain inhomogeneity in hot strip rolling process, 88

Indented feed
Effects of indented feed of roller tool on parallel spinning of circular aluminum tube, 274
Industrial ceramics
Kerf formation analysis in the abrasive waterjet cutting of industrial ceramics, 123
Injection moulding
Development of an expert system for the determination of injection moulding parameters of thermoplastic materials: EX-PIMM, 113
Interlaminar fracture
Interlaminar fracture properties of fibre reinforced natural rubber/polypropylene composites, 33
Inter-meshing counter-rotating twin screw extruder
Newtonian flow in an inter-meshing counter-rotating twin screw extruder, 196
Internal pressure
Analytical study for tube hydroforming, 232
Interstitial-free steel
Experimental study of deep drawability of hot rolled IF steel, 73

Joining
Three-dimensional simulation of hemming with the explicit FE-method, 142

Kerf characteristics
Kerf formation analysis in the abrasive waterjet cutting of industrial ceramics, 123
Kinematic hardening
Forming limit diagrams for kinematically hardened voided sheet metals, 302

Laser attenuation
A theoretical model for laser and powder particles interaction during laser cladding, 106
Laser cladding
A theoretical model for laser and powder particles interaction during laser cladding, 106

Machining
Diamond tool performance in machining metal–matrix composites, 100
Macroporous ceramics
A study on the factors involved in collapse of macroporous α-Al_2O_3 structure, 313
Magnetic shielding
Wear behavior of materials in magnetically assisted abrasive flow machining, 155
Magnetically assisted AFM
Wear behavior of materials in magnetically assisted abrasive flow machining, 155
Material removal mechanism
Wear behavior of materials in magnetically assisted abrasive flow machining, 155
Metal forging
Preform die shape design for uniformity of deformation in forging based on preform sensitivity analysis, 25
Metal forming
Effects of indented feed of roller tool on parallel spinning of circular aluminum tube, 274
An experimental study on paraxial spinning of one tube end, 324
Metal working
Analysis of flow and stresses in flattening a circular tube by rolling, 130
Metal–matrix composites
Diamond tool performance in machining metal–matrix composites, 100
Migration of transformation interface induced plasticity
A model for deformation, temperature and phase transformation behavior of steels on run-out table in hot strip mill, 216
Modeling
Case-based agile fixture design, 7
Modelling
A theoretical model for laser and powder particles interaction during laser cladding, 106

Natural rubber
Interlaminar fracture properties of fibre reinforced natural rubber/polypropylene composites, 33
Necking
A design method for prediction of dimensions of rectangular hollow sections formed in stretch bending, 48
Newtonian flow
Newtonian flow in an inter-meshing counter-rotating twin screw extruder, 196
Non-conductive
Characterization and design considerations of a radio frequency glow discharge spectral source for solid material analysis, 226
NR-PP composites
Interlaminar fracture properties of fibre reinforced natural rubber/polypropylene composites, 33

Optimal design
Inverse methods in design of industrial forging processes, 266
Optimization
The use of grey-based Taguchi methods to determine submerged arc welding process parameters in hardfacing, 1

Paraxial spinning
An experimental study on paraxial spinning of one tube end, 324
Phase transformation
An investigation on strain inhomogeneity in hot strip rolling process, 88
A model for deformation, temperature and phase transformation behavior of steels on run-out table in hot strip mill, 216
Plasma spray coatings
Preparation and characterization of Al_2O_3–TiO_2 powders by chemical synthesis for plasma spray coatings, 205
Plastic deformation
Effect of heat input on plastic deformation of undermatched welds, 240
Plastic injection moulding machine
Development of an expert system for the determination of injection moulding parameters of thermoplastic materials: EX-PIMM, 113
Plastic instability
Forming limit diagrams for kinematically hardened voided sheet metals, 302
Polycrystalline diamond tools
Diamond tool performance in machining metal–matrix composites, 100
Polymeric sponge method
A study on the factors involved in collapse of macroporous α-Al_2O_3 structure, 313
Polypropylene
Interlaminar fracture properties of fibre reinforced natural rubber/polypropylene composites, 33
Pore collapse
A study on the factors involved in collapse of macroporous α-Al_2O_3 structure, 313
Post-buckling
A design method for prediction of dimensions of rectangular hollow sections formed in stretch bending, 48
Preform design
Preform die shape design for uniformity of deformation in forging based on preform sensitivity analysis, 25
Product and process design of transformers
Case-based reasoning approach to concurrent design of low power transformers, 136
PTA
A study on the surface treatment of "Calmax" tool steel by a plasma transferred arc (PTA) process, 169

Quenched and tempered steel
Effect of heat input on plastic deformation of undermatched welds, 240

Radio frequency
Characterization and design considerations of a radio frequency glow discharge spectral source for solid material analysis, 226
Reaction processes
Chemistry reaction processes during combustion synthesis of B_2O_3–TiO_2–Mg system, 162
Residual stress
Cutting speed influence on surface integrity of hard turned bainite steel, 318
Roller tool
Effects of indented feed of roller tool on parallel spinning of circular aluminum tube, 274
Roughness
Tool wear and surface roughness of Al_2O_3 particle-reinforced aluminium alloy composites, 280
Run-out table
A model for deformation, temperature and phase transformation behavior of steels on run-out table in hot strip mill, 216

Sagging
A design method for prediction of dimensions of rectangular hollow sections formed in stretch bending, 48
Scanning electron microscopy
Wear and corrosion behaviour of high-chromium (14–30% Cr) cast iron alloys, 250
Scatter
Wear behavior of materials in magnetically assisted abrasive flow machining, 155
SEM
Wear behavior of materials in magnetically assisted abrasive flow machining, 155
Sensitivity analysis
Preform die shape design for uniformity of deformation in forging based on preform sensitivity analysis, 25
Inverse methods in design of industrial forging processes, 266
Shape optimisation
Inverse methods in design of industrial forging processes, 266
Sheet metal forming
Three-dimensional simulation of hemming with the explicit FE-method, 142
Wrinkling predictions in the deep-drawing process of anisotropic metal sheets, 178
Forming limit diagrams for kinematically hardened voided sheet metals, 302
Sheet metal forming process
Static-explicit finite element method and its application to draw-bead process with spring-back, 292
Singular value decomposition
Modelling of explosive cutting process of plates using GMDH-type neural network and singular value decomposition, 80
Slot grinding
The effect of high pressure air jet on form accuracy in slot grinding, 67
Spinning pitch
An experimental study on paraxial spinning of one tube end, 324
Spun tube property
Effects of indented feed of roller tool on parallel spinning of circular aluminum tube, 274
Static-explicit method
Static-explicit finite element method and its application to draw-bead process with spring-back, 292
Static-implicit method
Static-explicit finite element method and its application to draw-bead process with spring-back, 292
Strain variance
Preform die shape design for uniformity of deformation in forging based on preform sensitivity analysis, 25
Strain-hardening exponent
Effect of heat input on plastic deformation of undermatched welds, 240
Stretch bending
A design method for prediction of dimensions of rectangular hollow sections formed in stretch bending, 48
Submerged arc welding
The use of grey-based Taguchi methods to determine submerged arc welding process parameters in hardfacing, 1
Suck-in
A design method for prediction of dimensions of rectangular hollow sections formed in stretch bending, 48
Superplastic
Mechanical properties of aluminum tailor welded blanks at superplastic temperatures, 38
Surface integrity
Cutting speed influence on surface integrity of hard turned bainite steel, 318
Surfacing
A study on the surface treatment of "Calmax" tool steel by a plasma transferred arc (PTA) process, 169
Swaging
In situ diamond wires. Part I. The Cu–15 vol.% Nb high strength cable, 191

Taguchi method
The use of grey-based Taguchi methods to determine submerged arc welding process parameters in hardfacing, 1
Temperature distribution
A theoretical model for laser and powder particles interaction during laser cladding, 106
Texture
Experimental study of deep drawability of hot rolled IF steel, 73
The finite element method
An investigation on strain inhomogeneity in hot strip rolling process, 88
Thermal analysis
An efficient thermal analysis system for the die-casting process, 19
Chemistry reaction processes during combustion synthesis of B_2O_3–TiO_2–Mg system, 162
Thermodynamic
A model for deformation, temperature and phase transformation behavior of steels on run-out table in hot strip mill, 216
Thermoplastic materials
Development of an expert system for the determination of injection moulding parameters of thermoplastic materials: EX-PIMM, 113
TiB_2 ceramic
Chemistry reaction processes during combustion synthesis of B_2O_3–TiO_2–Mg system, 162
Tool life
Tool wear and surface roughness of Al_2O_3 particle-reinforced aluminium alloy composites, 280
Tool steel
A study on the surface treatment of "Calmax" tool steel by a plasma transferred arc (PTA) process, 169
TOPSIS
Case-based reasoning approach to concurrent design of low power transformers, 136
Tube end
An experimental study on paraxial spinning of one tube end, 324
Tube hydroforming
Analytical study for tube hydroforming, 232
Tube shaping
Analysis of flow and stresses in flattening a circular tube by rolling, 130
Tube spinning
Effects of indented feed of roller tool on parallel spinning of circular aluminum tube, 274

Undermatched welds
Effect of heat input on plastic deformation of undermatched welds, 240
Uniform deformation
Preform die shape design for uniformity of deformation in forging based on preform sensitivity analysis, 25

Void growth
Forming limit diagrams for kinematically hardened voided sheet metals, 302

Wear
Tool wear and surface roughness of Al_2O_3 particle-reinforced aluminium alloy composites, 280
Weld
Mechanical properties of aluminum tailor welded blanks at superplastic temperatures, 38
Wheel wear
The effect of high pressure air jet on form accuracy in slot grinding, 67
Wrinkling
Wrinkling predictions in the deep-drawing process of anisotropic metal sheets, 178
Analytical study for tube hydroforming, 232